

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1 (currently amended). A vector system comprising at least one DNA vector, the vector or vectors containing a target-cleaving hammerhead ribozymal DNA sequence under control of a promoter effective in human cells and which, upon transcription to RNA ~~will cleave~~ cleaves the mRNA transcribed from a target gene encoding the CCR5 or CXCR4 protein, ~~the target-cleaving ribozymal DNA sequence, when transcribed to RNA, cleaving a target RNA sequence present in CCR5 or CXCR4 RNA, and which contains a first recognition sequence (5' to 3') wherein said target-~~ the cleaving ribozymal DNA sequence comprises a first recognition sequence (5' to 3') complementary to CCR5 or CXCR4 mRNA:

tagattg or ctact, respectively for CCR5 and CXCR4 and downstream thereof a second recognition sequence

acttg or acgttg, respectively for CCR5 and CXCR4.

2 (currently amended). A The vector system according to Claim 1, containing target-cleaving ribozymal sequences for cleaving mRNA transcribed from both the CCR5 and CXCR4 target genes.

3 (currently amended). A The vector system according to Claim 1, comprising at least two DNA vectors, wherein a first vector contains a first promoter effective in

human cells, operably linked to a gene which is expressible to produce an activator protein capable of acting on a second promoter, and a second vector contains the second promoter operably linked to a target-cleaving hammerhead ribozymal DNA sequence for cleaving mRNA transcribed from the CCR5 target gene, the CXCR4 target gene or both the CCR5 and CXCR4 target genes, wherein the second promoter is a T7 polymerase promoter and the activator protein is a T7 polymerase.

4 (currently amended). A The vector system according to Claim 3, comprising at least 3 DNA vectors, wherein the second vector contains target-cleaving ribozymal DNA for cleaving mRNA transcribed from the CCR5 target gene and wherein the third vector contains target-cleaving ribozymal DNA for cleaving mRNA transcribed from the CXCR4 target gene.

5 (cancelled).

<sup>5</sup> ~~6~~ (currently amended). A The vector system according to Claim ~~5~~ 3, wherein ~~the T7 polymerase promoter~~ which further comprises DNA providing an internal ribosome entry site (IRES) for assisting the translation of the T7 polymerase gene in human cells.

<sup>6</sup> ~~7~~ (currently amended). A The vector system according to claim 1 wherein the ribozymal DNA sequence further comprises, downstream of the target-cleaving ribozymal sequence, a 3'-autocatalytic hammerhead ribozymal DNA sequence. so that

when the ribozymal DNA is transcribed to RNA, it ~~has a representable form~~ forms as a double hammerhead, having first and second stems of a target-cleaving ribozyme which targets CCR5 or CXCR4 mRNA and first and second stems of 3'-autocatalytic ribozyme.

~~7~~ ~~8~~ (currently amended). A The vector system according to claim 1, wherein ~~a~~ first and second structure-stabilising stem <sup>loop is</sup> ~~loops~~ are positioned one to each side of the first recognition sequence.

~~8~~ ~~9~~ (currently amended). A The vector system according to Claim ~~8~~ <sup>7</sup>, wherein a second recognition sequence is positioned downstream of the second structure-stabilising stem loop.

~~9~~ ~~10~~ (currently amended). A The vector system acid according to Claim ~~9~~ <sup>8</sup>, wherein the target-cleaving ribozyme sequence comprises in order (5' to 3'):

- a first structure-stabilising stem loop;
- a first target-recognition sequence;
- a first catalytic sequence;
- a second structure-stabilising stem loop;
- a second catalytic sequence; and
- a second target-recognition sequence.

11-16 (cancelled).

10 ~~11~~ (previously presented). Ribozymal DNA comprising (1) a target-cleaving hammerhead ribozymal DNA sequence under control of a promoter effective in human cells and which, upon transcription to RNA will cleave the mRNA transcribed from a target gene encoding the CCR5 or CXCR4 protein, and downstream thereof (2) a 3'-autocatalytic hammerhead ribozymal DNA sequence, so that when the ribozymal DNA is transcribed to RNA, it ~~has a form represented~~ forms as a double hammerhead, having first and second ~~steps~~ stems of a target-cleaving ribozyme which targets CCR5 or CXCR4 mRNA and first and second stems of 3'-autocatalytic ribozyme, together with a common third stem joining the two hammerheads, the target-cleaving ribozymal DNA sequence, when transcribed to RNA, cleaving a target RNA sequence present in CCR5 or CXCR4 RNA, and ~~which contains~~ <sup>the</sup> wherein said target-cleaving ribozymal DNA sequence comprises a first recognition sequence (5' to 3'):

tagattg or ctact, respectively for CCR5 and CXCR4 and downstream thereof a second recognition sequence

acttg or acgttg, respectively for CCR5 and CXCR4.

11 ~~18~~ (currently amended). Ribozymal A ribozymal DNA which, when transcribed to RNA, ~~will cleave~~ cleaves a target RNA sequence present in CCR5 or CXCR4 RNA and which contains a first recognition sequence (5' to 3'):

tagattg or ctact, respectively for CCR5 and CXCR4  
and downstream thereof a second recognition sequence

acttg or acgttg, respectively, for CCR5 and CXCR4.

EAGLES et al  
Appl. No. 09/880,821  
April 15, 2004

<sup>11</sup>  
19 (currently amended). ~~Ribozymal~~ <sup>//</sup> A ribozymal DNA according to Claim 18,  
comprising tandem CCR5 RNA- and CXCR4 RNA- cleaving sequences.

20-21 (cancelled).